


|  |   |   |   |   |   |                            |   |
|--|---|---|---|---|---|----------------------------|---|
| 8  | 7   | 6   | 5   | 4   | 3   | 2                          | 1 |
| <b>AVAILABLE ACCESSORIES</b><br>- DOUBLE SIDED TAPES<br>- EPOXY ATTACHMENT<br>- THERMAL GREASE<br>- THERMAL INTERFACE MATERIALS<br>- ATTACHMENT CLIP & ANCHORS | <b>FINISHES</b><br>- BLACK ANODIZE<br>(OTHER COLORS ON REQUEST)<br>- CHROMATE (CLEAR & GOLD)<br>- CLEAN OR MILL FINISH<br>- PAINTING AND POWDERCOAT | <b>OPTIONS</b><br>- CROSS CUT<br>- CUSTOM MACHINING<br>- PART MARKING<br>- BAR CODING | <b>SIMULATION AND ANALYSIS</b><br>- THERMAL ANALYSIS<br>- CFD MODELING FOR SYSTEM AND COMPONENT LEVELS<br>- PARAMETRIC MODELING | <b>MANUFACTURING</b><br>- CNC MACHINING<br>- SHEET METAL<br>- PROTOTYPE & PRODUCTION<br>- CUSTOM EXTRUSION PROFILES AND STAMPINGS | <b>WEB SITE LINKS</b><br><a href="http://www.heatsinks.com">HTTP://www.heatsinks.com</a><br><a href="http://www.allaxismachining.com">HTTP://www.allaxismachining.com</a> | <b>THERMAL PERFORMANCE</b> |   |



Notes:  
1. Finish - None  
2. Material: Extrusions: 6063 Aluminum;  
3. Physical Properties: Mass = 0.34 lbs/ft; 0.51 Kg/m  
Perimeter = 5.49 inches; 13.94 cm  
4. All Dimensions Shown on Print are for Reference Only, Contact Factory for any Critical to Function Tolerances such as flatness, height, width, diameter, distance, etc.

**ROHS Compliant Certification - EU Directive 2002/95/EC**

| Material Name                                       | Maximum Concentration by Weight |
|---|---------------------------------|
| Cadmium and its Compounds                           | < 0.01%                         |
| Mercury and its Compounds                           | < 0.01%                         |
| Lead and its Compounds                              | < 0.01%                         |
| Hexavalent Chromium CR+6 and its compounds          | < 0.01%                         |
| Polybrominated Bi-phenyls (PBB)                     | < 0.01%                         |
| Polybrominated Diphenyl Ethers/Oxides (PBDE & PBDO) | < 0.01%                         |
| Polychlorinated Biphenyls                           | 0%                              |
| Polychlorinated Terphenyls                          | 0%                              |
| Abestos (All Forms)                                 | 0%                              |



**Uncontrolled Drawing**

**PROPRIETARY AND CONFIDENTIAL**  
THE INFORMATION CONTAINED IN THIS DRAWING IS COPYRIGHTED 2007 AND IS THE SOLE PROPERTY OF ALL AXIS MACHINING ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF ALL AXIS MACHINING IS PROHIBITED.

DIMENSIONS AND TOLERANCES  
EXTRUDED FEATURES PER ALUMINUM  
INDUSTRY STANDARDS

COMMENTS:  
**CAD FILES AND DYNAMIC THERMAL MODELS ARE AVAILABLE FOR DOWNLOAD FROM WEBSITE**

[www.heatsinks.com](http://www.heatsinks.com)  
Email: [gkuzmin@heatsinks.com](mailto:gkuzmin@heatsinks.com)  
Phone: 972 312 8609 Fax: 972 312 8617



Part Number: **E2336**