


| | | | | | | | |
|--|--|---|---|---|---|----------------------------|---|
| 8 | 7 | 6 | 5 | 4 | 3 | 2 | 1 |
| AVAILABLE ACCESSORIES - DOUBLE SIDED TAPES - EPOXY ATTACHMENT - THERMAL GREASE - THERMAL INTERFACE MATERIALS - ATTACHMENT CLIP & ANCHORS | FINISHES - BLACK ANODIZE (OTHER COLORS ON REQUEST) - CHROMATE (CLEAR & GOLD) - CLEAN OR MILL FINISH - PAINTING AND POWDERCOAT | OPTIONS - CROSS CUT - CUSTOM MACHINING - PART MARKING - BAR CODING | SIMULATION AND ANALYSIS - THERMAL ANALYSIS - CFD MODELING FOR SYSTEM AND COMPONENT LEVELS - PARAMETRIC MODELING | MANUFACTURING - CNC MACHINING - SHEET METAL - PROTOTYPE & PRODUCTION - CUSTOM EXTRUSION PROFILES AND STAMPINGS | WEB SITE LINKS HTTP://www.heatsinks.com HTTP://www.allaxismachining.com | THERMAL PERFORMANCE | |



Notes:
1. Finish - None
2. Material: Extrusions: 6063 Aluminum;
3. Physical Properties: Mass = 2.411 lbs/ft; 3.588 Kg/m
Perimeter = 36.59 inches; 92.94 cm
4. All Dimensions Shown on Print are for Reference Only. Contact Factory for any Critical to Function Tolerances such as flatness, height, width, diameter, distance, etc.

ROHS Compliant Certification - EU Directive 2002/95/EC

| Material Name | Maximum Concentration by Weight |
|---|---------------------------------|
| Cadmium and its Compounds | < 0.01% |
| Mercury and its Compounds | < 0.01% |
| Lead and its Compounds | < 0.01% |
| Hexavalent Chromium CR+6 and its compounds | < 0.01% |
| Polybrominated Bi-phenyls (PBB) | < 0.01% |
| Polybrominated Diphenyl Ethers/Oxides (PBDE & PBDO) | < 0.01% |
| Polychlorinated Biphenyls | 0% |
| Polychlorinated Terphenyls | 0% |
| Abestos (All Forms) | 0% |



Uncontrolled Drawing

PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS COPYRIGHTED 2007 AND IS THE SOLE PROPERTY OF ALL AXIS MACHINING ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF ALL AXIS MACHINING IS PROHIBITED.

DIMENSIONS AND TOLERANCES
EXTRUDED FEATURES PER ALUMINUM
INDUSTRY STANDARDS

COMMENTS:

CAD FILES AND DYNAMIC THERMAL MODELS ARE AVAILABLE FOR DOWNLOAD FROM WEBSITE

www.heatsinks.com
Email: gkuzmin@heatsinks.com
Phone: 972 312 8609 Fax: 972 312 8617



Part Number:

E2477